U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF EMERGENCY AND REMEDIAL RESPONSE C E R C L I S V 1.2

PAGE: 124
RUN DATE: 06/29/87
RUN TIME: 11:41:36

M.2 - SITE MAINTENANCE FORM

		* ACTION: _		
EPA ID : TND003327400				
SITE NAME: SOUTHERN WOOD PIE	DMONT CO# SOURCE:	н *		_
STREET : PO BOX 1268 400 E	33RD ST CONG DIST:	03 *		_
CITY : CHATTANOOGA	ZIP: 37401	*		
CNTY NAME: HAMILTON	CNTY CODE : 0	65 *		
LATITUDE : 35/01/01.5	LONGITUDE : 085/18/03	.0 */		//
LL-SOURCE: R	LL-ACCURACY:	* -		_
SMSA : 1560	HYDRO UNIT: 060200	01 *		
INVENTORY IND: Y REMEDIAL IN	ND: Y REMOVAL IND: N FED FAC IND:	N *	_	_
NPL IND: N NPL LISTING DAT	TE: NPL DELISTING DATE:	*/	/	
SITE/SPILL IDS:		*		
RPM NAME:	RPM PHONE:	*		
SITE CLASSIFICATION:	SITE APPROACH:	*		
DIOXIN TIER:	REG FLD1: REG FLD2:	1 *		_
RESP TERM: PENDING ()	NO FURTHER ACTION ()	* PENDING (_)	NO FURTHER	ACTION (_)
ENF DISP: NO VIABLE RESP PA ENFORCED RESPONS				
SITE DESCRIPTION:				
		*		
		*		
		*		
		•		

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF EMERGENCY AND REMEDIAL RESPONSE C E R C L I S V 1.2

PAGE: 125 RUN DATE: 06/29/87 RUN TIME: 11:41:36

M.2 - PROGRAM MAINTENANCE FORM

				*	ACTION:	_		
SITE:	SOUTHERN 1	WOOD PIEDMONT CO#						
EPA ID:	TND003327	PROGRAM CODE: HO	PROGRAM TYPE:	*				- *
PROGRAM	QUALIFIER:	ALIAS LINK :		*				
PROGRAM	NAME:	SITE EVALUATION		*			 -	
DESCRIPT	ION:							
				*			 	
				*			 	
				*		· • · · · · · · · · · · · · · · · · · ·	 	

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF EMERGENCY AND REMEDIAL RESPONSE C E R C L I S V 1.2

PAGE: 126
RUN DATE: 06/29/87
RUN TIME: 11:41:36

M.2 - EVENT MAINTENANCE FORM

			* ACTION: _		
SITE: SOUTH PROGRAM: SITE	ERN WOOD PIEDMONT CO# EVALUATION				
EPA ID: TND00	3327400 PROGRAM CODE: H01	EVENT TYPE: DS1			
FMS CODE:	EVENT QUALIFIER :	EVENT LEAD: E	* _		_ *
EVENT NAME:	DISCOVERY	STATUS:	*		-
DESCRIPTION:					
			*		
			*		
			*		
			*		
ORIGINAL	CURRENT	ACTUAL			
START:	START:	START:	* _/_/_	_/_/_	_/_/_
COMP :	COMP :	COMP : 08/01/80	* _/_/_	_/_/_	_/_/_
HQ COMMENT:					
RG COMMENT:			*		
			*		
COOP AGR #	AMENDMENT # STATUS	STATE %			
		0	*		

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF EMERGENCY AND REMEDIAL RESPONSE C E R C L I S V 1.2

PAGE: 127 RUN DATE: 06/29/87 RUN TIME: 11:41:36

M.2 - EVENT MAINTENANCE FORM

			* ACTION: _		
SITE: SOUTH PROGRAM: SITE	IERN WOOD PIEDMONT CO# EVALUATION				
EPA ID: TND00	3327400 PROGRAM CODE: H01	EVENT TYPE: PA1			
FMS CODE:	EVENT QUALIFIER :	EVENT LEAD: S	* _	-	_ *
EVENT NAME:	PRELIMINARY ASSESSMENT	STATUS:	*		_
DESCRIPTION:					
			*		
			*	······································	
			*		· · · · · · · · · · · · · · · · · · ·
			*		
ORIGINAL	CURRENT	ACTUAL			
START:	START:	START: 01/01/84	* _/_/	//	_/_/_
COMP :	COMP :	COMP : 03/01/84	* _/_/_	_/_/_	_/_/_
HQ COMMENT:					
RG COMMENT:			*		
			*		
COOP AGR #	AMENDMENT # STATUS	STATE %			
			•		

١

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF EMERGENCY AND REMEDIAL RESPONSE C E R C L I S V 1.2

PAGE: 128 RUN DATE: 06/29/87 RUN TIME: 11:41:36

M.2 - EVENT MAINTENANCE FORM

			* ACTION: _		
SITE: SOUTHE PROGRAM: SITE E	ERN WOOD PIEDMONT CO# EVALUATION				
EPA ID: TND003	3327400 PROGRAM CODE: H01	EVENT TYPE: SI1			
FMS CODE:	EVENT QUALIFIER :	EVENT LEAD: E	*		
EVENT NAME:	SITE INSPECTION	STATUS:	*		_
DESCRIPTION:					
			*		
			*		
			*	· · · · · · · · · · · · · · · · · · ·	
			*		
ORIGINAL	CURRENT	ACTUAL			
START:	START:	START: 09/01/83	* _/_/_	//	_/_/_
COMP :	COMP :	COMP : 06/01/84	*/_/_	_/_/_	_/_/_
HQ COMMENT:					
RG COMMENT:			*		
			*		
COOP AGR #	AMENDMENT # STATUS	STATE %			
		0	•		****

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF EMERGENCY AND REMEDIAL RESPONSE CERCLIS V 1.2

PAGE: 129 RUN DATE: 06/29/87 RUN TIME: 11:41:36

M.2 - COMMENT MAINTENANCE FORM

SITE:

SOUTHERN WOOD PIEDMONT CO#

EPA ID: TND003327400

COM

COMMENT NO

ACTION

001 PART A- ON FILE

SITE INSPECTION REPORT SOUTHERN WOOD PIEDMONT SITE CHATTANOOGA, TENNESSEE

TDD NO. F4-8303-06 EPA CONTRACT NO. 68-01-6699

FOR THE

AIR AND WASTE MANAGEMENT DIVISION U.S. ENVIRONMENTAL PROTECTION AGENCY

January 28, 1985

NUS CORPORATION SUPERFUND DIVISION

Submitted in May 1984 by: Brad Wallace Reviewed in May 1984 by: Mary Leslie

Approved By

Murray Warner, P.E.

Regional Project Manager

SITE INSPECTION REPORT SOUTHERN WOOD PIEDMONT SITE CHATTANOOGA, TENNESSEE TND003327400

A site inspection was conducted at the Southern Wood Piedmont Site on September 20, 1983. The inspection was conducted by Brad Wallace and Johnny Smith of NUS Corporation, Region IV Field Investigation Team (FIT). Mr. Ross Harrod, plant manager of the Chattanooga facility was present during the inspection to answer questions and guide a tour of the plant's waste disposal areas. The site inspection w. conducted at the request of the U.S. Environmental Protection Agency (EPA), Air and Hazardous Materials Division, under Technical Directive Document (TDD) No. F4-8303-06. The inspection was conducted under the authority of the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) of 1980.

Since 1925, the Southern Wood Piedmont Company has operated a wood preserving plant in Chattanooga, Tennessee. In June, 1981, to comply with notification of hazardous waste disposal sites required under CERCLA, ITT Rayonier, Incorporated (realty owner) reported to EPA the presence of a landfill where creosote/wood preserving wastes were disposed of at the Chattanooga, Tennessee, Southern Wood Piedmont plant.

The Chattanooga facility treats wood with the creosote preservative process. According to Mr. Ross Harrod, the Chattanooga plant has used only creosote solutions for wood preservation. Several waste management facilities exist at the plant. A surface impoundment recently constructed near the western border of the plant has been listed under RCRA as a K001 facility. On the Eastern side of the plant is the landfill disposal area which was the subject of this investigation.

The subject waste disposal area is approximately one acre in size, and includes a lagoon on the southern bank of the landfill which receives drainage from the landfill (see Figure 2). According to Mr. Harrod, much of the landfill material is

demolition debris. Demolition debris was also discarded into the lagoon from time to time in an effort to fill it in. According to Mr. Harrod, records concerning the types and quantities of waste disposed of in the landfill were not available.

Southern Wood Piedmont's Chattanooga facility is located in the Southern portion of Hamilton County. The site is bordered by a railroad line to the west, a railyard to the north, Chattanooga Creek to the east, and an elementary school approximately ¼ mile to the south (see Figure 1). The Tennessee River is approximately 1 mile northwest of the site. The plant is located in a wide valley between Missionary Ridge to the east and Lookout Mountain to the west. The plant itself lies on relatively flat terrain at an elevation of between 650 and 680 feet NGVD elevation. Chattanooga Creek, with an elevation of about 635 feet, has an extensive flood plain adjacent to the site.

Reference literature indicates that two general type of rock units underlie the Chattanooga plant site: the Chickamauga Super Group and the Knox Group. A major fault line, the Chattanooga Fault Zone, is a thrust fault which passes through the City of Chattanooga. The surface trace of this fault runs north to south and bisects the plant area, thus a significant percentage of the area may be resting upon the deformed zone. The Chickamauga Super Group (middle Ordovician) forms the bedrock on the western side of the fault, while the older Knox Group (lower Ordovician) lies atop the Chickamauga east of the fault, the direction of movement being east to west for the Knox Group.

The Chickamauga Super Group contains several rock units, most of which are predominately limestone. Locally it is considered a poor aquifer having a thin (generally less than 10 feet) weathered zone on its upper surface. More permeable portions of the Chickamauga consist of limestone containing solution cavities. Landforms on the U.S.G.S. Topographic map (Figure 1) indicate the presence of solution features such as numerous isolated depressions (sinkholes) north and west of the site.


The Knox group contains four major rock units which are composed primarily of dolomite. These units are, in increasing age: the Mascot Dolomite, the Kingsport Formation, the Chepultepec Dolomite, and the Copper Ridge Dolomite. This group has a relatively thick weathered layer and is considered the best aquifer in the county. This is due, in part to the presence of fracture and solution features, the presence of fossiliferous zones within the rocks and to the permeability increase normally resulting from dolomitization.

The presence of solution features in both rock units exercises an influence on groundwater occurence and flow patterns. In the fault zone area these features can be expected to locally deviate from the regional norm, thus altering the local groundwater flow patterns.

Additional site inspection information is contained in the Site Inspection Report Form (EPA Form T2070-3), supporting tables and illustrations included in this report.

Additional information and documentation collected during the course of the site inspection is included with this report. The monitoring well analysis included in this section is for the plants K001 facility.

Photographs of the disposal area taken during the inspection are attached. Figure 2 indicates the location and direction of view for each photograph.




USGS CHATTANOOGA, TN QUADRANGLE

SOUTHERN WOOD PIEDMONT SITE

NUS

SCALE: 1:24,000

FIGURE 1



DISPOSAL AREA SOUTHERN WOOD PIEDMONT CHATTANOOGA, TENNESSEE

FIGURE 2




PRIVATE WATER SUPPLY WELLS IN THE VICINITY OF THE SOUTHERN WOOD PIEDMONT COMPANY SITE CHATTANOOGA, TENNESSEE

Well "	Well	Aquifer		Depth to	Water Level	. Hoe	Oran	I a4/I a==	V
#	Depth	Deptn	Elevation	water	Flevation	ı Use	Owner	Lat/Long	Year
732	180'	177'			_	*	11th St. Development Co. (TVA)	35°02'25" 85°18'00"	1979
102	241'	200'	650'	20'	630'	Unknown	Johnson's Truck Stop	35°01'00" 85°17'30"	1966

^{* -} Reported to be contaminated with oil

NOTE: This is not a complete list of wells. All wells drilled prior to 1963 may not be represented. Further, the current condition/use of the wells listed above is unknown. Well inventory obtained from the State of Tennessee Groundwater Management Office.





(BASE MAP IS A PORTION OF THE USGS "CHATTANOOGA" QUAD, 7.5 SERIES)

WELL LOCATIONS NEAR SOUTHERN WOOD PIEDMONT CHATTANOOGA, TENNESSEE



REFERENCES

- 1. Groundwater Resources of East Tennessee; Tennessee Division of Geology, Bulletin 58, Part 1; Nashville, TN 1956.
- 2. <u>Tennessee's Water Quality and Stream Use Classifications for Interstate and Intrastate Streams</u>; Tennessee Water Quality Control Board, Department of Public Health; Nashville, TN 1983.

£	FPΔ
V	$oldsymbol{\square}$

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

REGION SITE NUMBER (to be easigned by Mg)

IV

TND 003327400

GENERAL INSTRUCTIONS: Complete Sections I and III through XV of this form as completely as possible. Then use the information on this form to develop a Tentative Disposition (Section II). File this form in its entirety in the regional Hazardous Waste Log File. Be sure to include all appropriate Supplemental Reports in the file. Submit a capy of the forms to: U.S. Environmental Protection Agency; Site Tracking System; Hazardous Waste Enforcement Tack Force (EA 335); 401 M St., SW; Washington, DC 20460.

 								
	I. SITE IDEN							
A. SITE NAME	A.	1	other identifier)	4				
Southern Wood Piedmo	nt	D. STATE	st 33rd Str					
Chattanooga		TN	37410	Hamilto				
G. SITE OPERATOR INFORMATION 1. NAME 2. TELEPHONE I								
S <u>ou</u> th <u>ern Wood Pied</u> mo	615-266							
3. STREET 400 W. 33rd Street	Chattan	ากดสล	-	B. STATE TN	37410			
H. REALTY OWNER INFORMATION (10094	- 	<u> </u>				
1. NAME 2. TELEPHONE NUMBER ADA DOC 14CO								
III Rayonier, Inc. 404-996-1460								
P. O. Box 45165, Atla	anta			GA	30320			
landfill, surface im		preservin	g facility					
J. TYPE OF OWNERSH P								
1. FEDERAL 2. STAT	E 3. COUNTY	4. MUNICIPAL	X 5. PRIVA	TE				
	II. TENTATIVE DISPOSITIO	N (complete th	is section last)	·				
A. ESTIMATE DATE O TENTATIVE	· · · · · · · · · · · · · · · · · · ·							
DISPOSITION (mos. 19, de 91s)	T. HIGH 💢	2. MEDIUM	3. LOW	4. NON	E			
2-6-84			· · · · · · · · · · · · · · · · · · ·					
1. NAME	(2. TELEPHON	IF NUMBER	A. DATE (MO.,	. dev. & yr.)			
			38-7710	2-6-	•			
Brad Wallace	III. INSPECTION	سنن بروسي		1 2-0-	-84			
A. PRINCIPAL INSPECTOR INFORMA	·	INFORMATIO	<u> </u>		***************************************			
1. NAME	1	2. TITLE	_	_				
Brad Wallace		Envi	ronmental S		E NO. (area code & no.)			
	eld Investigation Te	am (FIT)		404-938	-			
B. INSPECTION PARTI IPANTS	,							
1. NAME	2. ORGA	NIZATION		3. TEL	EPHONE NO.			
Brad Wallace	NUS Region IV FIT	<u> </u>		404/93	38-7710			
John Smith	NUS Region IV FIT			404/93	38-7710			
C. SITE REPRESENTATIVES INTERV	/IEWED (corporate officials, works	era, residence)						
1 NAME	2. TITLE & TELEPHONE NO		3	. ADDRESS				
Ross Harrod, Plant M			W. 33rd St.	, Chattano				
NOSS Harrous i raire in	11. 010/200 0020			·····	37410			
				· · · · · · · · · · · · · · · · · · ·				
								

III. INSPECTION INFORMATION (continued) D. GENERATOR INFORMATION (sources of waste) 3. ADDRESS 2. TELEPHONE NO. 1. NAME N/A E. TRANSPORTER/HAU LER INFORMATION 1. NAME 2. TELEPHONE NO. 3. ADDRESS N/A F. IF WASTE IS PROCEUSED ON SITE AND ALSO SHIPPED TO OTHER SITES, IDENTIFY OFF-SITE PACILITIES USED FOR DISPOSAL Z. TELEPHONE NO. 1. NAME N/A G. DATE OF INSPECT H. H. TIME OF INSPECTION 1. ACCESS GAINED BY (crodentials must be about in all ruses, (moi, day & yii) 10-20-83 1000-1200 X 1. PERMISSION (2. WARPANT J. WEATHER (describs) mild and clear IV. SAMPLING INFORMATION A. Mark 'X' for the types of samples taken and indicate where they have been sent e.g., reground the plant Reductor, etc. and estimate when the results will be available. 2. SAMPLE 1. SAMPLE TYLE . (much 'X') AVA-LABLE b. SURFACE WATER NONE TAKEN d. AIR . RUNOFF £ SPILL g. \$01L h. VEGETATION i. OTHER(specify) B. FIELD MEASUREMENTS TAKEN (o.g., radioactivity, explosivity, PH, etc.) 2. LOCATION OF MEASUREMENTS LTYPE NONE TAKEN

Continued From Front

Continued From Page 2	↓ ▼								
	IV. SAMPL	ING INFORMA	ATION (continued)						
C. PHOTOS	1								
1. TYPE OF PHOTOS		2. PHOTOS IN C		T.	/ E1T				
XX a. GROUND _ b. AE.	RIAL	NUS	CORPORATION, REGION	1 \	/ F11				
D. SITE MAPPED?			-						
YES. SPECIFY LOCATION	OF MAPS:								
E. COORDINATES									
1. LATITUDE (degminsec.)									
35 ⁰ 00'55			85 ⁰ 18'10"						
	V	. SITE INFOR	MATION						
A. SITE STATUS									
X 1. ACTIVE (Those inductrial of municipal sites which are being us	or 2. INACTIVE		3. OTHER(specify):(Those sites that include such inc	ide	nts like ''mldnight dumping''				
for waste treatment, storage, or di-	sposal wastes.)		where no regular or continuing use						
on a continuing basis, even if infro quently.)	-		has occurred.)						
B. IS GENERATOR ON SITE?									
	ecify generator's four-dig	it SIC Code)	2491						
		·							
C. AREA OF SITE (In acres	D. ARE THERE 8	BUILDINGS ON	THE SITE?						
	XX 1. NO	2. YES(ape	cify):						
<1.0									
	VI. CHARAC	TERIZATION	OF SITE ACTIVITY						
Indicate the major site activity(i	es) and details relating	g to each activ	ity by marking 'X' in the appro	pri	ate boxes.				
A. TRANSPORTER	B. STORE	R X	C. TREATER	<u> x</u>	D. DISPOSER				
1. RAIL	1. PILE		1. FILTRATION	×	1. LANDFILL				
2. SHIP	2. SURFACE IMPOU	NOMENT	2. INCINERATION		2. LANDFARM				
3. BARGE	3. DRUMS		3. VOLUME REDUCTION	Τ	3. OPEN DUMP				
4. TRUCK	4. TANK, ABOVE GE	ROUND	4.RECYCLING/RECOVERY	X	4. SURFACE IMPOUNDMENT				
5. PIPELINE	5. TANK, BELOW GR	ROUND	5. CHEM./PHYS./TREATMENT		5. MIDNIGHT DUMPING				
6.OTHER(specify):	6. OTHER(specify):		6. BIOLOGICAL TREATMENT	L	6. INCINERATION				
. :			7. WASTE OIL REPROCESSING	L.	7. UNDERGROUND INJECTION				
ŕ			8. SOLVENT RECOVERY	\perp	8. O THER (specify):				
			9.OTHER(specify):						
				İ					
E. SUPPLEMENTAL REPORTS: 17 which Supplemental Reports you			s listed below, Supplemental Repo	rts	must be completed. Indicate				
			SURFACE	٦.	DEEP WELL				
1. STORAGE	2. INCINERATION	3. LANDFILL	4. IMPOUNDMENT	j 5.	DEEP WELL				
6. CHEM/BIO/	7. LANDFARM	8. OPEN DUMP	9. TRANSPORTER] 10	D. RECYCLOR/RECLAIMER				
A. WASTE TYPE	VII. WAS	TE RELATED	INFORMATION						
		Y 2 CL UDGE	T 4 CAS						
X 1. LIQUID	2. SOLID	3. SLUDGE	4. GAS						
B. WASTE CHARACTERISTICS				—					
	2 ICNITABLE	3. RADIOACTI	VE . 4. HIGHLY VOLATILE						
	2. IGNITABLE	3. RADIOACTI 7. INERT	8. FLAMMABLE						
<u></u>	o. HERCHIVE) / HAELEL	vi i #Ammaoke						
9. OTHER(epocity):									
C. WASTE CATEGORIES 1. Are records of wastes available	Specify (tems such es r	manifests invent	tories, etc. below.		<u></u>				
	- opechyticins sucit as i								
No									

2. Estimate the amoun	it (apecify unit o	f measur	re) of was:	e by cate	gory, mark 'X'	to indica	te which wast	es are pre	sent.	
a. SLUDGE	b. OIL		c. SOLVE		d. CHEMICA		e. SOLIDS		£. OTH	ER
1	AMOUNT	AN	THUO		AMOUNT		MOUNT	, A1	MOUNT	
12,750 (estin										
cubic feet	UNIT OF MEASUR	E	NIT OF ME	SURE	UNIT OF MEAS	URE ;C	NIT OF MEAS	JRE :U!	NIT OF ME	ASURE
,,	,,,	· x ·			* X '1		<u> </u>	· x		
PIGMENTS	(1) WASTES		SOLVE	ENATED	1 ACIDS		11 FL V ASH		PHAR	AACEUT
a METALS Sludges	(2) OTHER(#P#0	c1(v):	12 SOLVE	NTS	PICKLING	; 	2 A58E\$*O	· ·	'21 HOSP	TAL
131 POTW		_)3:OTHER	(apecity):	.3 CAUSTIC	5	(3) MILLING/ TAILINGS	MINE	(3) RACIO	A C T ' V E
ALUMINUM SEUDGE		:			4 PESTICIO	ES	FERROUS	SMELT. Es	IA. MUNIC	i PAL
SOTHER(epecify):					5/0×£\$/(N)	<s td="" <=""><td>S' SMLTG. W</td><td>ROUS</td><td>S OTHE</td><td>R/speci</td></s>	S' SMLTG. W	ROUS	S OTHE	R/ spe ci
sludges 6 or creosote					A CYANIDE		16) OTHER(S)	ecity):		
treatment plant.		:			THENOL.	s				
		; ;			8 HALOGE	NS				
<u> </u>		:			. (9) PCB					
		i			: 10-METALS	3				
!		1			TI STHER?	specity).				
D. LIST SUBSTANCES	F GREATEST CO		HICH ARE		TOXICITY	scending	order of hazard)	r		
1. SUBSTA	NGE	'n	nerk 'X')	1 0	mark 'X'	م مال	S NUMBER	5. AM	DUNT	6. UNI
1.306318	102	. 50. LID		R HIGH	MEEL LOW NON	1	3 40m0ER	3. A MI	30141	6.0
				1						
Fluorene*		X		<u> </u>	<u> </u>	86	-73 - 7	unk	cnown	
Phenanthrene*		Х				85	-01-8	unk	nown	
		!	;			200	6-44-0	unk	nown	
Fluoranthene*										
Pyrene*		X		:			9-00-0	unk	cnown	
Pyrene*		X				129		:	(nown (nown	
Pyrene*						129	9-00-0	unk	,	
Pyrene* Acenapthene*						129	9-00-0	unk	nown	
Pyrene* Acenapthene*	tuent of c	X	t e			129	9-00-0	unk	nown	
Pyrene* Acenapthene* Dibenzofuran* *Common consti		X	VIII.		DESCRIPTION	83	9-00-0 -32-9	unk	known	
Pyrene* Acenapthene* Dibenzofuran* *Common consti	HAZARD DESC	X	VIII.			83	9-00-0 -32-9	unk	known	e the
Pyrene* Acenapthene* Dibenzofuran* *Common consti	HAZARD DESC	X	VIII.			83	9-00-0 -32-9	unk	known	e the
Pyrene* Acenapthene* Dibenzofuran* *Common consti	HAZARD DESC	X	VIII.			83	9-00-0 -32-9	unk	known	e the
Pyrene* Acenapthene* Dibenzofuran* *Common consti	HAZARD DESC	X	VIII.			83	9-00-0 -32-9	unk	known	e the
Pyrene* Acenapthene* Dibenzofuran* *Common consti	HAZARD DESC	X	VIII.			83	9-00-0 -32-9	unk	known	e the
Pyrene* Acenapthene* Dibenzofuran* *Common consti	HAZARD DESC	X	VIII.			83	9-00-0 -32-9	unk	known	e the

B. NON-WORKER INJURY/EXPOSURE
C. WORKER INJURY/EXPOSURE
D. CONTAMINATION OF WATER SUPPLY
E. CONTAMINATION OF FOOD CHAIN
F. CONTAMINATION OF GROUND WATER
Potential. Integrity of landfill cap and liner is unknown.
G. CONTAMINATION OF SURFACE WATER
Site is near Chattanooga Creek (1000'), in 100 year flood plain

VILL. MALARD DESCRIPT FROM (COMMINGOL)

Continued From Front		· .
	VIII. HAZARD DESCRIPTION (continued)	
H. DAMAGE TO FLORA/FAUNA		
I. FISH KILL		
ļ		
J. CONTAMINATION OF AIR		
!		
K. NOTICEABLE ODORS		
L. CONTAMINAT ON OF SOIL		
C. CONTAMINATION OF SOIL		
i		
M. PROPERTY DAMAGE		
1		
1		

VIII. HAZARD DESCRIPTION (continued)
N. FIRE OR EXPLOSI⊃N
O. SPILLS/LEAKING CONTAINERS/RUNOFF/STANDING LIQUID
Potential during periods of heavy rainfall.
rotential during periods of heavy faintail.
P. SEWER, STORM DEAIN PROBLEMS
P. SEWER, STORM DEATH PROBLEMS
Drainage from site enters a lagoon. Demolition debris is
discarded into lagoon from time to time in an effort to fill it in.
Q. EROSION PROBLEMS
·
R. INADEQUATE SECURITY
Sito is not mordily recossible to the geneval mublic
Site is not readily accessible to the general public.
S. INCOMPATIBLE WASTES

		VIII. HAZARD DESC	CRIPTION (continued)			
T. MIDNIGHT DUMPING						
						-
U. OTHER (*pecify):						
						•
	ìX. F	OPULATION DIREC	TLY AFFECTED BY S	TE		
	_	ABBOOK NO	C. APPROX, NO. OF PEC	PLE	D. APPROX. NO.	E. DISTANCE
A. LOCATION OF POPULATION		APPROX. NO. OPLE AFFECTED	AFFECTED WITHIN	i	OF BUILDINGS AFFECTED	TO SITE (specify units)
1. IN RESIDENTIAL AREAS			:			i t
	Nor	e known to be	affected			
2. OR INDUSTRIAL AREAS	pop	ulation of Cha	ttanoog a is repo	rted	to be 169,565	
IN PUBLICLY 3. TRAVELLED AREAS						
TRAVELLED AREAS						
4. PUBLIC USE AREAS (parke, schoole, etc.)				!		1
	4	X. WATER AN	D HYDROLOGICAL DA	TA		<u> </u>
A. DEPTH TO GROUNDWATER(epeci	fy unit)	B. DIRECTION OF FL	.ow	1	UNDWATER USE IN	VICINITY
UNKNOWN D. POTENTIAL YIELD OF AQUIFER		unknown	INKING WATER SUPPLY	F. DIR	NKNOWN ECTION TO DRINKIN	G WATER SUPPLY
unknown	j	approx. 0.9 n	iles to closest	known	NE	
G. TYPE OF DRINKING WATER SUP						
X 1. NON-COMMUNITY X X	2. COMMU > 15 CO	NITY (specify town): ONNECTIONS	Chattanooga,	TN		
	4. WELL					

	X. WATER AND HYDROLOGICAL DATA (continued)								
H. LIST ALL DRINKING WATER WELLS WITHIN A 1/4 MILE RADIUS OF SITE									
1. WELL 2. DEPTH (apacify unit)			PTH unit)	3. LOCATION (proximity to population/	bulld	Hinge)	NON-COM- MUNITY (mark 'X')	COMMUN- ITY (mark 'X')	
				NONE KNOWN WITHIN 1/4 MI	LĘ				
·									
				·					
r									
┢							 		
!	RECEIVING WAT	FO					<u> </u>	L	
•	NAME			2. SEWERS 3. STR	EAM	S/RIVERS			
	hattanooga			4. LAKES/RESERVOIRS 8. OTH	ER(apacify):	·		
٩	SPECIFY USE A	ND CLAS	SIFICA	TION OF RECEIVING WATERS					
I	ndustrial,	fish	aquat	ic life, irrigation, livestoc	C W	ater and wild life			
┪	 			XI. SOIL AND VEGITATION I	TAC	A			
L	CATION OF SITE	EIS IN:							
] [X A. KNOWN FA	ULT ZOI	NE	X B. KARST ZONE X C. 1	00 Y	EAR FLOOD PLAIN	D. WETLAND)	
	E. A REGULA	TED FLO	DODWAY			ARGE ZONE OR SOLE SOUR	CE AQUIFER		
				XII. TYPE OF GEOLOGICAL MATERIA					
-	ark 'X' to indica	te the ty		f geological material observed and specify w		necessary, the component	parts.		
Ľ	A. CVERBURD	EN	X	B. BEDROCK (epecify below)	×	C. OTHER (apo	city below)		
Х	1. SAND		X I	Chickamauga Limestone					
χ	2. CLAY		x	Knox Group					
Х	3. GRAVEL								
				XIII. SOIL PERMEABILIT	Υ				
<u></u>	X A. UNKNOWN		(B. VERY HIGH (100,000 to 1000 cm/se	c.)	C. HIGH (1000 to 10 cm		ac.)	
٦	D. MODERATE		cm/ 30C	.) E. LOW (.1 to .001 cm/ sec.)		F. VER! LOW (.002 to	.0007 cai, at		
χ	XX 1. YES 2. NO 3. COMMENTS:								
H. DISCHARGE AREA X 1. YES 2. NO 3. COMMENTS: Chattanooga Creek									
1. SLOPE 1. ESTIMATE % OF BLOPE 1 2. SPECIFY DIRECTION OF SLOPE, CONDITION OF SLOPE, ETC.									
10% generally elevation decreasing to the east									
7.	J. OTHER GEOLOGICAL DATA								
	Above geological data from reference literature and plant records.								

PAGE 9 OF 10

Continue On Reverse

Continued From Page 8

EPA Form T2070-3 (10-79)

		_	-
Conti	nued	r rom	Front

			D. DATE ISSUED (moi,day,&yri)	E. EXPIRATION	F. IN COMPLIANCE (mark 'X')		
A. PERMIT TYPE (0.g.,RCRA,State,NPDES,etc.)	B. ISSUING AGENCY	C. PERMIT NUMBER		DATE (moi,dey,&yri)	1. Y E S	2. NO	3. UN-
NPDES	TN-DPH	TN0028380	2 -2 1-82	2-21-87			X
RCRA	-	Interim Status		·			X
							
							 -
	 		 			<u> </u>	-

		XV. PAST REGUL	ATORY OR ENFORCEM	ENT ACTIONS	
NONE	X YES eummer!	ze in this epace)			
States	files (TN-DPH)	indicate sever	al violations und	der RCRA	

NOTE: Based on the information in Sections III through XV, fill out the Tentative Disposition (Section II) information on the first page of this form.

EPA Form T2070-3 (10-79)

PAGE 10 OF 10

SEPA

EPA FORM 2070-12 (7-81)

POTENTIAL HAZARDOUS WASTE SITE PRELIMINARY ASSESSMENT ART 1 - SITE INFORMATION AND ASSESSMENT

1. IDENTIFICATION								
CISTATE	OL SITÉ NUMBER							
IN	TND003327400							

PART 1 - SITE INFORI	MATION AN	id assessiv	IENT LIN	1140003327400			
B. SITE NAME AND LOCATION							
131 CITE NAME (Legal Common, or seas rooting name of \$46)	G2 STREE	T, AOUTE NO., O	R SPECIFIC LOCATION IDENTIFIER				
bouther Wood Piedmont Co.	P.0	BOX 13(08 400 E . 331	d 4:			
Chattanega Signorphiates Latitude Longitude	1	\$	Hamilton	OCODE SIST			
G GOODINATES LATITUDE LONGITUDE							
\$ 35 OL OL.5 Q85 L8 Q3.0							
10 DIRECTIONS TO SITE (Scaring Index reasons auditor road)							
One mile C. of Jennessee River							
III. RESPONSIBLE PARTIES		•					
O1 OWNER is known.	1	(Barnes many,					
Southern Wood Piramont Co.	P.O.	Box 5	447				
ग्राम	04 STATE	05 AP CODE	OS TELEPHONE NUMBER				
Spartanbug	15C	09304	1803/576-760	∞			
0. 6. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	OS STREET	Sveness, meang.					
Edward & Gibbs Chrisonmula Eng	<u> </u>						
69 CITY	COSTATE	THE CODE	12 TELEPHONE NUMBER				
			1615 266-562	8			
13 T/PE OF OWNERSHIP (CASE AND) Z. A. PRIVATE D. B. FEDERAL: D. C. STATE DD.COUNTY DE MUNICIPAL							
/Agendyname		_ ☐ G. UNK					
Suealy	······································						
14 CHINER/OPERATOR NOTIFICATION ON PLE (Cheek as that supply)				7.0			
ACRA 3001 DATE RECEIVED: MONTH CAV YEAR 3 B. UNCONTR	OULED WASTE	STEENCLA TO	DATE RECEIVED:	DAY TEAM I C. NONE			
IV. CHARACTERIZATION OF POTENTIAL HAZARD							
OT YES DATE 1/12/83 II E. LOCAL HEALTH O	EPA CONTRA	CTOR Z	C. STATE 2 D. OTHE	R CONTRACTOR			
O NO MONTH DAY YEAR O E. LOCAL HEALTH C	FFICIAL I	F. OTHER: _	(Soperv)				
CONTRACTOR NAME S							
03 YEARS OF CO. UNKNOWN	PERATION 1925	MLS	DUNKNO!	A/A			
	BEGINNING YE						
04 DESCRIPTION OF SUBSTANCES POSSIBLY PRESENT, KNOWN, OR ALLEGED			•	,			
beats wood with a creosole pre	suut	we prod	لاها	1			
05 DESCRIPTION OF POTENTIAL HAZARD TO ENVIRONMENT AND/OR POPULATION	- 4	_ '^ '					
there are several waste manage	ment fo	icultus	that exist on	The site a.			
fairly recently constructed pond nea	1 The	western	border of The.	site has been			
Listed with RCRA as a KOOI pacifity		•	-	•			
V. PRIORITY ASSESSMENT							
01 PRIORITY FOR INSPECTION (Cheen one. If high or measure is ancested, semanted from 2 - Wester Intermediate and Part 3 - Occurrence of Miscardiae Considers and Inspection							
A. HIGH (18. MEDIUM (2 C. LOW (1 D. NONE)) (Processor required prompting) (Processor required) (Processor required) (Processor required) (Processor required)							
VI. INFORMATION AVAILABLE FROM							
O1 CONTACT 02 OF IAgents; On	part start	استانا بيدها بيديد		03 TELEPHONE NUMBER			
Synn Ridwell Down				16157742-66449			
04 PERSON RESPONSIBLE FOR ASSESSMENT 05 AGENCY	06 ORGA	NIZATION	C7 TELEPHONE NUMBER	12 14 83			
Haur Bonner DSWM	,		1 (/ a/E 1/1/11 / a-m				

T	7/
}	7
-	

POTENTIAL HAZARDOUS WASTE SITE PRELIMINARY ASSESSMENT PART 2 - WASTE INFORMATION

	TIFICATION
DISTATE	02 SITE NUMBER
TN	TND003377400

		10.0114.04.0222	10.51.0.0				
	TATES, QUANTITIES, AN						
OI PHYSICALS	TATES (Check of the spany)	02 WASTE QUANT	ITY AT SITE If waste ouestide	03 WASTE CHARACT	ERISTICS (Check at their a	-aa-vi	
C A SQUO	☐ E. SLURRY	must be	***************************************	DIXOT A D	□ E. SOLU		VOLABLE
I B POWDE	R. FINES DE LIQUID	TONS .		C B CORRO	SIVE IF INFEC		
120 SLUDGE	E CI G GAS	CUBIC YAROS	CUBIC YAROS		TENT 3 H. IGNIT		
CO OTHER	(Speare)	NO. OF DRUMS				□ M MOTA	PPUCABLE
III. WASTE T	YPE	<u>. </u>		1		······································	
CATEGORY	SUBSTANCE N	AME	01 GROSS AMOUNT	02 UNIT OF MEASURE	03 COMMENTS		·
SLU	SLUDGE				CLADSOLL 3	Juda.	
OLW	OILY WASTE		†	 	<u> </u>	euro	
	SOLVENTS			 	 		
SOL			 	 			
PSD	PESTICIDES		 				
occ	OTHER ORGANIC CH	1EMICALS					
ЮС	INORGANIC CHEMIC	ALS					
ACD	ACIDS						
BAS	BASES						
MES	HEAVY METALS						
IV. HAZARD	OUS SUBSTANCES (See A	Spires for most interes	By coop CAS Humborn				
TEXTEGORY	02 SUBSTANCE N	AME	03 CAS NUMBER	04 STORAGE/DIS	POSAL METHOD	05 CONCENTRATION	OF MEASURE OF
					······································		
			}`	 		 	
			 				
				ļ			ļ
				,			
						1	
				 			
				<u> </u>			
			ļ				
7				<u> </u>		<u> </u>	
		- /		<u> </u>	·		
V FEEDSTO	CKS (See Aggentus for CAS forms)	 	1			<u> </u>	1
CATEGORY			02 CAS NUMBER	CATEGORY	O1 FEEDSTO	OCK NAME	02 CAS NUMBER
FDS				FDS			
FDS			 	FDS	····		
FDS			 	FOS			
FDS			 	FDS			
	S OF INFORMATION (CAN		<u></u>	<u> </u>		<u></u>	
	office report			,			
							i

SEPA

POTENTIAL HAZARDOUS WASTE SITE PRELIMINARY ASSESSMENT

I. IDENTIFICATION

DENTS TN TNO CO3327400

PART 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS

II. HAZARDOUS CONDITIONS AND INCIDENTS			
01 S. GROUNDWATER CONTAMINATION 03 POPULATION POTENTIALLY AFFECTED:	C2 © OBSERVED (DATE) 04 NARRATIVE DESCRIPTION	E POTENTIAL	□ ALLEGED
		•	
01 28. SURFACE WATER CONTAMINATION 03 POPULATION POTENTIALLY AFFECTED:	02 © OBSERVED (DATE:) 04 NARRATIVE DESCRIPTION	POTENTIAL	□ ALLEGED
01 C. CONTAMINATION OF AIR 03 POPULATION POTENTIALLY AFFECTED.	02 CLOBSERVEDIDATE	□ POTENTIAL	□ ALLEGED
01 © D. FIRE/EXPLOSIVE CONDITIONS 03 POPULATION POTENTIALLY AFFECTED:	02 © OBSERVED (DATE) 04 NARRATIVE DESCRIPTION	☐ POTENTIAL	C ALLEGED
01 G E. DIRECT CONTACT 03 POPULATION POTENTIALLY AFFECTED:	02 DOSEFYED DAYE	☐ POTENTIAL	C ALLEGED
01 TF. CONTAMINATION OF SOIL 03 AREA POTENTIALLY AFFECTED: (Acres)	02 COBSERVED (DATE) 04 NARRATIVE DESCRIPTION	POTENTIAL	C ALLEGED
01 G. DRINKING WATER CONTAMINATION 03 POPULATION POTENTIALLY AFFECTED:	02 CBSERVED (DATE) 04 NARRATIVE DESCRIPTION	□ POTENTIAL	C ALLEGED
01 TH. WORKER EXPOSURE/MUURY 03 WORKERS POTENTIALLY AFFECTED:	02 C OBSERVED IDATE	□ POTENTIAL	C ALLEGED
01 © I. POPULATION EXPOSURE/INJURY 03 POPULATION POTENTIALLY AFFECTED:	02 © OBSERVED (DATE:) 04 NARRATIVE DESCRIPTION	□ POTENTIAL	C ALLEGED

POTENTIAL HAZARDOUS WASTE SITE PRELIMINARY ASSESSMENT

L IDENTIFICATION

01 STATE 02 SITE NUMBER
TN TND003327400

	EARDOUS CONDITIONS AND INCIDEN	1,3			
II. HAZARDOUS CONDITIONS AND INCIDENTS (Commune)					
01 I J. DAMAGE TO FLORA 04 NARRATIVE DESCRIPTION	02 OBSERVED (DATE:)	C POTENTIAL	☐ ALLEGED		
01 K. DAMAGE TO FAUNA 04 NARRATIVE DESCRIPTION (Include name(s) of appeals)	02 C OBSERVED (DATE:)	D POTENTIAL	□ #il≅GED		
01 □ L CONTAMINATION OF FOOD CHAIN	02 - OBSERVED (DATE:)	□ POTENTIAL	C ALLEGED		
04 NARRATIVE DESCRIPTION	or a second to the formation of the second s	D FOIENING	C ALLGED		
01 M. UNSTABLE CONTAINMENT OF WASTES (Spillerung) (Spillerung) (Spillerung) (Spillerung) (Spillerung)	C2 C OBSERVED (DATE:)	B POTENTIAL	□ ALLEGED		
03 POPULATION POTENTIALLY AFFECTED:	04 NARRATIVE DESCRIPTION				
01 D N. DAMAGE TO OFFSITE PROPERTY 04 NARRATIVE DESCRIPTION	02 OBSERVED (DATE:)	D POTENTIAL	□ ALLEGED		
01 © 0. CONTAMINATION OF SEWERS, STORM DRAINS, WWTPs 04 NARRATIVE DESCRIPTION	02 G OBSERVED (DATE:)	☐ POTENTIAL	□ ALLEGED		
01 P. ILLEGAL/UNAUTHORIZED DUMPING 04 NARRATIVE DESCRIPTION	02 G OBSERVED (DATE:)	☐ POTENTIAL	□ ALLEGED		
05 DESCRIPTION OF ANY OTHER KNOWN, POTENTIAL, OR ALLEG	GED HAZARDS				
III. TOTAL POPULATION POTENTIALLY AFFECTED:					
IV. COMMENTS					
I ground-water wells violations were found.					
V. SOURCES OF INFORMATION (Che appendix references, e. g., state from a	IJMOID PROVER, 1000/161				

POOR LEGIBILITY

PORTIONS OF THIS DOCUMENT MAY BE UNREADABLE, DUE TO THE QUALITY OF THE ORIGINAL







Date 10 20 83 By Whom: B. Wallace

Time: 1020 # keyed to map: 3

Location: Southern Wood Predmont

Chattanooga TO F4830306

Proture of: D(Spo Sal FEEA Journey

Date.	10-20-	<u>8</u> 6	y Whom: 🕏	3. Walle	re
Time:	1010	# keyed to	map:	1_	
Locati	ion: South	elv	Wood	redu	unt
	hatton re of: Disp	opea	710	2 —	
Pictur	toerne	Soul	HL	<u>* </u>	
	0 0)	F4	1830300	

Apple 5-17
Frank 6 -File
011.8 ~ 10

P. O. Box 5447 Spartanburg, S. C. 29304

Phone 803/576-7660

MAY 18 1983

DAS5



Southern Wood Piedmont Company

11-M-1.10.2 May 9, 1983 Hamilton Co. 33-121

Ms. Lynn L. Birdwell
DIVISION OF SOLID WASTE MANAGEMENT
Department of Pulic Health
Nashville, Tennessee 37219

Dear Ms. Birdwell:

Enclosed are our most recent groundwater analyses and the geology report of our facility at Chattanooga, Tennessee.

I have contacted Mr. Don Miller, of Law Engineering, for additional data relating to the placement of groundwater monitoring wells at the plant. I will send you a copy of his report.

The pH and conductance submitted with the 4th quarter groundwater data should have shown that both values (pH and conductance) were the same for four (4) replications. A corrected copy of our field measurements is enclosed.

If additional information is needed, please contact me at 803/576-7660.

Sincerely,

SOUTHERN WOOD PIEDMONT COMPANY

Edward L. Gibbs

Environmental Manager

ELG: kwm

cc: C. A. Burdell

SAVANNAH LABORATORIL. AND ENVIRONMENTAL SERVICES, INC.

P.O. Box 13842 • Savannah, Ga. 31406

912/354-7858



REPORT OF ANALYSIS

ro:	Mr. E. L. Gibbs				
	Southern Wood Piedmont Company	У			
	P.O. Box 5447	•			
	Spartanburg, S.C. 29304				

Janette M. Davis

REPORT NO. 4459-1

SAMPLING DATE 2/15/83

Section 265.92 - paragr	aph b(2) parameters:		
		mg/liter	
	Chlorides	8	
	Iron	<0.1	
,	Manganese	<0.05	
	Pheno1s	<0.01	
	Sodium	11	
	Sulfate	35	•
Section 265.92 - paragr	aph b(3) parameters:	licate Analyses	
TOC (mg/1)	15 11	<u> 15 17 </u>	
Oil & grease (m	ma/1) <5	•	

James W. Andrews, Ph.D.

RECEIVED

111 1383

SAVANNAH LABORATORIŁ AND ENVIRONMENTAL SERVICES, INC.

James W. Andrews, Fir.L.
Provident

Janette M. Davis

Chief Chemns, 3-P.

P.O. Box 13842 • Savannah, Ga. 31406 912/354-7858



3

REPORT OF ANALYSIS

TO:	Mr. E. L. Gibbs	
	Southern Wood Piedmont Company	y
	P.O. Box 5447	
	Spartanburg, S.C. 29304	

REPORT NO. 4459-2

SAMPLING DATE 2/15/83

Section 265.92 -	paragraph b(2) parame	ters:		
-			mg/liter	
	Chlorides			_
	Iron		0.2	_
	Manganese	, .	<0.05	_
	Phenols		0.6	_
	Sodium	,	14	_
·	Sulfate		22	-
Section 265.92 -	paragraph b(3) parame	ters:		•
		Replicat	e Analyses	•
TOC (mg/	1) <u>72</u>	56	54	

James W. Andrews, Ph.D.

RECEIVED

11 11 133

SAVANNAH LABORATORIES AND ENVIRONMENTAL SERVICES, INC.

James W. Andrews, Ph.D. President
Janette M. Davis

P.O. Box 13842 • Savannah, Ga. 31406 912/354-7858



REPORT OF ANALYSIS

TO:	Mr. E. L. Gibbs Southern Wood Piedm	nont Company
	P.O. Box 5447 Spartanburg, S.C.	29304

REPORT NO. 4459-3
SAMPLING DATE 2/15/83

DENTIFICATION:	_	monitoring t	report for sa	· —	int.
METHODS: EPA-	530/SW-611, EF	PA-600/4-79-0	002, and EPA	-SW-646-1980	· · · · · · · · · · · · · · · · · · ·
Section 265.92	2 - paragraph l	o(2) paramete	ers:		
			• .	mg/liter	
	(Chlorides		7	·
	1	Iron		0.5	·
		Manganese		0.9	
••		henols		0.01	
	` •	Sodium		22	lamba.
	Ş	Sulfate		140	
Section 265.92	: - paragraph t	o(3) paramete	ers:		•
		¥	Replicate	Analyses	
TOC (m	g/1)	23	20	19	24
0i1 &	grease (mg/l)	<u><5.0</u>			

James W. Andrews, Ph.D. RECEIVED

Tr. 1383

SAVANNAH LABORATORIES AND ENVIRONMENTAL SERVICES, INC.

James W. Andrews, Ph.D. President

Janette M. Davis Chief Chemin, VP P.O. Box 13842 • Savannah, Ga. 31406 912/354-7858



REPORT OF ANALYSIS

TO:	Mr. E. L. Gibbs				
	Southern Wood Piedr	mont Company			
	P.O. Box 5447				
	Spärtanburg, S.C.	29304			

REPORT NO. 4459-4

SAMPLING DATE 2/15/83

Section 265.92 - paragraph	b(2) paramete	rs:		
-		· ,	mg/liter	
	Chlorides		6	
	Iron		0.1	
	Manganese		<0.05	
•	Pheno1s		<0.01	<u> </u>
	Sodium	-	9	
	Sulfate		32	
Section 265.92 - paragraph	b(3) paramete	rs: <u>Replicate</u>	Analyses	,
TOC (mg/l)	8.2	6.7	8.7	7.9
Oil & grease (mg/l				

James W. Andrews, Ph.D. RECEIVED.

7 : 1333

PLANT SITE: Chattanorce

DATE: 2/15/93 TIME: 10:30

WELL NO .: 4	WELL NO.: 3
TIME: 9:35	TM: 9:45
TEMPERATURE: 36°	TEMPERATURE: 56°
SAMPLER: Muha de Colha	SAMPLER: Michaeld. Rel.
pa: 6.4 x 4	PH: 6-6 X4 reg
CONDUCTANCE: 520 wishes x 4mg	CONDUCTANCE: 600 wohrs x 4/ 00
PIPE TOP TO E20: 19' 2"	PIPE TOP TO H20:
ST. PIPE HT. ABOVE GROUND: 30"	ST. PIPE ET. ABOVE GROUND: 44
WELL DEPTH: 16'8"	WELL DEPTH: 3'8"
•	• •

WELL NO.: 2

TIME: 9.55

TEMPERATURE: 35C

SAMPLER: Muku V.C.C.

PE: 10-5 × 4 p2

CONDUCTANCE: 2,300 × 4 ps

PIPE TOP TO E20: 8/2"

ST. PIPE ET. ABOVE GROUND: 28'

WELL DEPTH: 5'10"

WELL NO.:

TIME: 10.05

TEMPERATURE: 56

SAMPLER: Nichael A. Roll:

PH: 6.0 X4 MP

CONDUCTANCE: 320 without X4 MP

PIPE TOP TO H20: 20"

ST. PIPE HI. ABOVE GROUND: 34"

WELL DEPTH: + 1'2"

Jabout ground

GROUNDWATER MONITORING

CHAIN OF CUSTODY RECORD

Company	's Name_	uthern h) ood 4	iedmont C	ŝ .	
Location	n Chatta	hoogo Te	m).			
Collecto	or's Name 1	whal Q. K	Pollar	Company Sa	then Wood	Lud
	of Collection				·	
		uary 15, 1	1983			
	nformation_o		mild	50'5		
	ent so		on &	still	non	· /
	<i>2.70</i>	, }				
Time	Well No.	Collector's	No.	Amount	*Water Elevation	Lab No.
335	4			Wel soffle	19'2"	
7:50	3			11	55"	
2:00	1			11	18811	
1:20	7		· .		8'2"	•
						
		,				
						
		Ch	nain of Po	ssession	•	
	(· .		· .	Inclusive	
1. W	i hat of	. P.c.C	Collec	tor	2-15/	83
- (signature	7	•	-		
2.	Thefo		- 			
3.	Maria	Latelan			2/1/1/82	
J. ——	signature				Hula 2	-
'Feet fr	rom water sur	face to top o	f casing.			
			<u>ئ</u>		RFCEI\	IFN
			•		ドアレレバ	7

RECEIVED]

ENVIRONMENTAL AFFAIRS

RECEIVED

SEP 24 1981

ENVIRONMENTAL AFFAIRS

sportd you have any questions, please feel free to call.

As discussed in the above mentioned memo, this item is being sent to you in draft form due to significant differences between the proposed program and previously submitted programs for other ITT plant sites.

As stated in our September 18 memo, we are enclosing a draft of the "Summary of Pertinent Background Information" for the Chattanooga, Tennessee Plant site.

ground Information" Chattanooga, Tennessee Plant

of Pertinent Back-

SUBJECT: Draft of "Summary

September 22, 1981

DATE:

Russ Schlecht

FROM: Don Miller and

TO: Charles Burdell

WEWORFNDUM

DRAFT SUMMARY OF PERTINENT BACKGROUND INFORMATION

The Chattanooga Plant of the Southern Wood Piedmont Company is located in the southwestern part of Hamilton County, Tennessee, slightly more than one mile east of the Tennessee River. The plant is south of downtown Chattanooga and is bordered to the west by a railroad line, to the north by a rail yard, and to the east by Chattanooga Creek. Topographically, the plant is located in a wide valley between Missionary Ridge to the east, and Lookout Mountain to the west. The main plant area containing the buildings, wood storage area, and waste-water impoundments is on a relatively flat area lying between 650 and 680 ft. NGVD elevation. Chattanooga Creek, at an elevation of about 635 feet, has an extensive floodplain south of the site. The west side of this floodplain narrows considerably adjacent to the plant.

The Chattanooga Plant treats wood with the creosote preservative process. Several waste management facilities exist on the site. A fairly recently constructed pond near the western border of the site has been listed with RCRA as a K001 facility, and is the facility of primary interest in this program.

Hamilton County, Tennessee spans portions of two physiographic provinces, with the Cumberland Plateau present in the northwest and the Valley and Ridge in the southeast. The plant is located in the Valley and Ridge province, approximately 3 miles east of the Cumberland Escarpment.

The Valley and Ridge physiographic province is composed of a thick sequence of well-indurated sedimentary rocks which have undergone extensive deformation due to regional folding and faulting. The fault traces and long axes of major folds trend northeast-southwest. These structural features have caused their associated rock units to outcrop in bands parallel to the fold axes. Differential erosion of the various rock types and the parallel orientation of all of these features have formed a series of alternating valleys and ridges, from which the province name results.

Most of the major fault systems in the Chattanooga area, which have been inactive for an extensive period of geologic time, are low to medium angle thrust faults. This type of fault involves movement of a body of rock up to several square miles in extent over an adjacent body of rock. A fault of this type does not exhibit a single fault plane, but develops a semi-horizontal zone of major faulting at the interface between the two rock units. Secondary structural features such as drag folds and tension cracks form in and adjacent to this zone due to the friction of one rock mass moving up to several miles over another. Heat from the friction, compression from the mass of overriding rock, and stresses at the interface all combine to create a highly deformed zone in both rock units. In carbonate rocks (limestone and dolomite) this deformation can lead to very complex ground water conditions. Zones of high permeability caused by carbonate solution in open fractures and faults, and impermeable zones formed by rock recrystallization or the presence of fault gouge may be intermixed within the general fault zone, on scales ranging from several feet to several miles. The presence and orientation of these zones provide a significant control on ground-water occurrence and movement. Their influence can override factors normally controlling ground-water flow, such as undeformed permeability, regional topography, and even regional rock unit orientation.

The Chattanooga Fault Zone is a major thrust fault which passes through the City of Chattanooga. The surface trace of this fault has been mapped as a north-south oriented line through the plant site (Avel et al, 1979). This line virtually bisects the plant area, implying that a significant percentage of the area may be resting upon the deformed zone. This inference is further reinforced by several features of Chattanooga Creek which appear to be controlled by the subsurface structure.

Two general rock units appear to be present beneath the Chattanooga Plant site, the Chickamauga Super Group and the Knox Group. The Chickamauga Super Group (middle Ordovician) forms the bedrock on the western side of the fault, while the older Knox Group (lower Ordovician) lies on top of the Chickamauga east of the fault. The direction of movement for the Knox Group was from east to west.

The Chickamauga Super Group contains several rock units, most of which are predominately limestone. On a regional basis it is considered a poor to fair aquifer, depending upon the rock unit present, and is noted for a thin (generally less than 10 feet) weathered zone on its upper surface. The more permeable portions of the Chickamauga consist of limestone within which solution channels have developed. Several land forms shown on the U.S.G.S. topographic map, which includes the site, are possible solution features. Numerous shallow, isolated depressions present north and west of the site appear very similar in form to a subsidence sinkhole, a common feature in Karst terrains.

The Knox Group, which rests on top of the Chickamauga Super Group east of the fault, contains four major rock units which are composed primarily of dolomite. These units are, in increasing age; the Mascot Dolomite; the Kingsport Formation; the Chepultepec Dolomite; and the Copper Ridge Dolomite. This group is noted for

a relatively thick weathered layer, frequently containing significant amounts of residual chert. It is also considered the best aquifer in the county, normally yielding significant quantities of water to wells. This high water-yielding capability is due to several factors, including:

- The normally thicker residual overburden which serves to increase the percentage of precipitation available for infiltration;
- The presence of fossiliferous zones within the rocks;
- The permeability increase normally resulting from dolomitization; and
- The presence of fractures and solution features.

In both rock units the presence of solution features exercises an important, and frequently controlling, influence or ground-water occurrence and flow patterns. In the fault zone area these features can be expected to locally deviate from the regional norm, thereby altering the local ground-water flow patterns.

REFERENCE

Avel, Andrew P., Gary S. Hartman, A. Ray Leamon, Edward T. Luther, Stuart W. Maher, Robert C. Milici, Preston D. Sitterly, and Robert L. Wilson; 1979. Geology of Hamilton County, Tennessee, Tennessee Division of Geology Bulletin 79, 128 p.

Michael T. Breen Director of Legal and **Environmental Affairs**

Sub TN 5000001093

ITT Rayonier Inc. P.O. Box 45165 Atlanta, Georgia 30320 (404) 996-1460

June 15, 1981

CERTIFIED MAIL/RETURN RECEIPT REQUESTED

U.S. EPA Region 4 Sites Notification Atlanta, Georgia 30308

Notifications of Hazardous

Waste Sites

Gentlemen:

As required by Section 103 (c) of the Comprehens Eve Environmental Response, Compensation and Liability Act of 1980 (aka SUPERFUND), Southern Wood Piedmont Company, en ITT Rayonier Inc. subsidiary, filed eight (8) Notification 9 of Hazardous Waste Site forms (EPA form 8900-1) with your office. These forms were submitted with our Mr. C.A. Burde P's letter of June 4, 1981, and pertain to the following wood preserving plant site locations: SEDA THENTTETCATACAN

STREET	CITY	COUNTY	STATE	ZIP	NUMBER
(1.) 1650 Nixon Road (2.) 900 North Center	Augusta	Richmond	Georgia	30903	GAD051034387
Street (3.) 400 East 33rd	,Baldwin	Duval	Florida	32234	FLD004053450
Street (4.) 1745 Connally	Chattanooga	Hamilton	Tennessee	37401	TND003327400
Drive	East Point	Fulton	Georgia	30364	GAD067560870
(5.) 2139 State Road	Gulf	Cha tham	North Carolina	27256	NONE*
(6.) 3210 Roff Avenue (7.) Sigsbee Plant	Macon	Bibb	Georgia	31203	GAD003264074
(P.O. Box 5447) (8.) Foot of Greenfield	Spartanburg	Spartanburg	South Carolina	29304	SCD049690001
Street	Wilmington	New Hanover	North Carolina	28401	NCD058517467
	*	CLOSED FACILI	TY		•

In each Notification of Hazardous Waste Activity form relative to each of the foregoing site locations, we intended to include a statement, but-inadvertently-we did not do so. The statement is as follows:

U.S. EPA Region 4 June 15, 1981 Page -2-

Southern Wood Piedmont Company is a licensed applicator of a pesticide product registered under the Federal Insecticide, Fungicide and Rodenticide Act and, as such, may be exempted - under Section 103 (e) of the Comprehensive Environmental Response, Compensation and Liability Act of 1980 - from filing this Notice. Until the scope of this exemption is further defined, it is not clear that our company is obligated to file this Notice. Nevertheless, we have elected to so file to avoid any liability for failing to report, pending full clarification as to the said Section 103 (e) exemption.

So that our Notification of Hazardous Waste Activity forms may be complete and our reservation of rights duly recorded, you are hereby advised that each such form is to contain the foregoing statement. Accordingly, we have enclosed eight (8) copies of this letter, one each to be placed with our Notification of Hazardous Waste Activity forms on each of the above-identified site locations.

Your assistance and cooperation are very much appreciated.

Sincerely yours,

Michael T. Gran

MTB/cw

cc: (1.) Mr. Charles A. Burdell, Manager, Environmental Affairs - Wood Products, ITT Rayonier Inc.

(2.) Mr. Charles A. Counsil, Vice President and Chief Operating Officer, Southern Wood Piedmont Company

ADDITIONAL DOCUMENTATION
SOUTHERN WOOD PIEDMONT
CHATTANOOGA, TENNESSEE
TND003327400

Notification o→ Hazardous Waste Site→

United States Environmental Protection Agency Washington DC 20460

This initial notification information is required by Section 103(c) of the Compre-additional space, use separate sheets of hensive Environmental Response, Compen-paper. Indicate the letter of the item

Please type or print in ink. If you need

810609 TND003327400

	sation, and Liability Act of 1980 and must be mailed by June 9, 1981.	which applies.	atter or the atem				
	be maned by June 3, 1361.	-		TNS	000	001	093
١	Person Required to Notify:	ITT Ravo	nier, Inc.				
	Enter the name and address of the person or organization required to notify.	P O Ro					
		Street	13103		<u>~~</u>		20220
		City Atlanta	.=	State	GA -	Zip Code	30320
3	Site Location:	Name of Site Sout	hern Wood Pie	dmont Compar	137		
	Enter the common name (if known) and actual location of the site.				9		······································
		Street 400	East 33rd Stre	eec 			
	TNP 003327400	City Chattanoog	a County Ham	ilton State	TN	Zip Code	37401
;	Person to Contact:						
	Enter the name, title (if applicable), and business telephone number of the person to contact regarding information submitted on this form.	Name (Last, First and Title	Burdell, Cha	rles-Dir. Er	wiron	mental.	Arrairs
		Phone 404/996-	1460	<u></u>			
	Sasimited on this form.						
)	Dates of Waste Handling:						
	Enter the years that you estimate waste	From (Year) 1925	To (Year) Pi	resent			
	treatment, storage, or disposal began and ended at the site.	10,,,(100,7)		Lesene			
=	Waste Type: Choose the option you pre	efer to complete					
	Option I: Select general waste types and so you do not know the general waste types or encouraged to describe the site in Item I—D	sources, you are	Resource Cons	option is availal servation and Red CFR Part 261).			
	Ganaral Tuna of Wasta: Source o	f Wests:	Specific Type	of Waste			

Place an X in the appropriate

boxes. The categories listed overlap. Check each applicable

category.

1. X Organics

2.

Inorganics

3.

Solvents

4. **전** Pesticides

5.
Heavy metals

6. Acids

7.

Bases

8. PCBs

9.

Mixed Municipal Waste

10. Unknown

11. Other (Specify)

1.
Mining

boxes.

2.
Construction

3.
Textiles

4.

Fertilizer

5.

Paper/Printing

6. Leather Tanning

Place an X in the appropriate

7. Iron/Steel Foundry

8.

Chemical, General

9. Plating/Polishing

10.
Military/Ammunition

11.

Electrical Conductors

12.
Transformers

13.

Utility Companies

14. ☐ Sanitary/Refuse

15. Photofinish

16.

Lab/Hospital

17. Unknown

18. \(\Delta\) Other (Specify)


Wood Preserving

EPA has assigned a four-digit number to each hazardous waste listed in the regulations under Section 3001 of RCRA. Enter the appropriate four-digit number in the boxes provided. A copy of the list of hazardous wastes and codes can be obtained by contacting the EPA Region serving the State in which the site is located.

K001 U-051			
	₽ €	RECEIVED	
	DOX .	2. X	0
)3) 30	0 0 4 7
	3 17 FS	376	4-
		≥0	-
	7	٧١	2

Form Approved OMB No. 2000-0138 EPA Form 8900-1

	Notification of Hazardous Waste	Side Two		
F	Waste Quantity:	Facility Type	Total Facility Waste	Amount
	Place an X in the appropriate boxes to indicate the facility types found at the site.	 □ Piles □ Land Treatment 	cubic feet 12,750	
	In the "total facility waste amount" space give the estimated combined quantity (volume) of hazardous wastes at the site using cubic feet or gallons. In the "total facility area" space, give the	3. Ճ Landfill	gailons	
		4. ☐ Tanks5. ☐ Impoundment6. ☐ Underground Injection	Total Facility Area	
			square feet	
	estimated area size which the facilities occupy using square feet or acres.	7. Drums, Above Ground 8. Drums, Below Ground	acres 0.141	
		9. Other (Specify)		
G	Known, Suspected or Likely Releases t	to the Environment:		
	Place an X in the appropriate boxes to indicator likely releases of wastes to the environment	\Box Known \Box Suspecte $/\overline{X/}$ Possibility		
	Note: Items Hand I are optional. Completing hazardous waste sites. Although completing			locating and assessing
Н	Sketch Map of Site Location: (Optional	ni)		
	Sketch a map showing streets, highways, routes or other prominent landmarks near the site. Place an X on the map to indicate the site location. Draw an arrow showing the direction north. You may substitute a publishing map showing the site location.			
			,	
			•	
		•		
	•			
ı	Description of Site: (Optional)			
	Describe the history and present conditions of the site. Give directions to the site and describe any nearby wells, springs, lakes, or housing. Include such information as how waste was disposed and where the waste came from. Provide any other information or comments which may help describe the site conditions.			
		•		
J	Signature and Title:	C. A. Counsil		
	The person or authorized representative (such as plant managers, superintendents, trustees or attorneys) of persons required to notify must sign the form and provide a	Name Vice President, Chief		(X) Owner, Present
		Street P, O, Box 5447	t Company	☐ Owner, Past☐ Transporter
	mailing address (if different than address in item A). For other persons providing	City Spartanburg Stat	te SC Zip Code 29304	☐ Operator, Present
	notification, the signature is optional. Check the boxes which best describe the	City Spartanburg Stat		Operator, PastOther
	relationship to the site of the person required to notify. If you are not required to notify check "Other".	Signature (AHCOUNS)	Date 6/5/81	Other



Jac Mongan